

MONA TRACTOR COMPANY LIMITED

**AGRICULTURAL & GROUND CARE MACHINERY
SALES AND SERVICE**



Spring
NEWSLETTER

2026

CONTENTS

25 Years Of Precision	3
News	4
Mothers Day Gift Guide	5
UTV Lighting	6-9
Ifor Williams Trailers	10-11
Offers	12
Yamaha Accessories	13
Services	14
Groundcare	15
Prepare For The Season	16-17
New Machinery	18
Used Machinery	19


**SAVE UP TO
£1,425¹**



YEARS OF PRECISION

All prices are exclusive of VAT. Offer valid until 31 March 2026 at participating dealers only. To achieve a complete setup on your machine, additional costs may apply for specific components and installation time. Please consult your local John Deere dealer for details.

Keep up to date, follow our social media!



Mona Tractors Co Ltd
Mona Trailer Centre



25 YEARS OF PRECISION



Essentials Package Special Offer:

- G5 Plus Universal Display
- StarFire 7500 Universal Receiver
- JDLink M Modem
- John Deere Operations Center

PLUS

- 1 Year SF-RTK for **FREE**

'Original Way' Special Offer:

- StarFire 7500 Receiver
- G5 Display (Including AutoTrac Licence)

PLUS

- 1 Year SF-RTK and Advanced Licences for **FREE**



SAVE UP TO

ORIGINAL WAY
£1,425¹

ESSENTIALS PACKAGE
£475¹

Please contact our Precision Ag Specialist **Rowan** for more information on:

07469 556986

OR

rowanbraunton@montractors.co.uk

Offer valid until 31/03/2026

New Building Update

Exciting news from our Ruthin depot – we’re on the move!

Don’t worry, we’re not going far at all.. in fact, we’re relocating just down the road, practically next door.

Our new building will give us a fresh space to grow and expand the business while staying right where you expect to find us.

We’re looking forward to this next chapter and can’t wait to be fully settled into our new home by summer!



YOUR PARTS, RIGHT NOW

<https://shop.deere.com/uk/?dealer-id=311050>



MOTHERS DAY GIFT GUIDE

1

**John Deere
Money Box
Oil Barrel**



£9.98 Inc VAT

2



**John Deere
Quality Farm
Equipment
Mug**

£12.60 Inc VAT

3

John Deere Bucket Hat



£28.16 Inc VAT

4

**John Deere
Stainless
Steel
Iceshaker**



£48.61 Inc VAT

5

**John Deere Half-Zip
Field Fleece**

**£41.29
Inc VAT**



6



John Deere Clocks

£45.16 Inc VAT

JOHN DEERE

UTV PRODUCTS LED LIGHTING

John Deere R Series

UTV358

60W, 4800LM Flush Fit LED Work Light



UTV359

60W, 4800LM LED Work Light



EMC CISPR25-Class 4

Voltage: 9 -32V

360* swivel mount on UTV359

Direct Plug and play

Overheat protection

IP68 Waterproof



UTV356 60W High Beam

Lumens: 4500LM

Voltage: 9 - 32V

Waterproof and dustproof: IP68

EMC CISPR 25 CLASS 4



UTV355 30W Low Beam

Lumens: 2250LM

Voltage: 9 - 32V

Waterproof and dustproof: IP68

EMC CISPR 25 CLASS 4



UTV613

Pole Mounted Amber Beacon

CAN bus free

3 Flash patterns

Designed to operate with the CAN bus on - but not limited to - John Deere R Series and 30 Series



UTV3001

40W, 3200LM LED

Made specifically for 6000/6010 series

UTV3003 (Pair)

40W, 3200LM LED

Made specifically for 6020/6030

Std



UTV337-2K

Low beam: 30W, 2,250LM

High beam: 50W, 3,750LM

DRL: 6W

Voltage: 9 -32V DC



UTV379K - 00 and 10 Series

UTV380K - 20 and 30Std Series

Low beam: 30W

High beam: 60W

DRL: 6W

Lumens: 14000 as a pair

Voltage: 9 -32V

Waterproof and dustproof: IP68

Stainless steel hardware

Over/Under voltage protection



UK, IE and NZ Road Legal - LHD version available upon request



UTV379K



UTV380K



Side and centre mount

UTV315: 40W, 3600LM

UTV312: 80W, 6400LM

Voltage: 9 - 32V
Waterproof and dustproof: IP68
Swivel mount
Over/Under voltage protection
EMC CISPR25 Class 4
Durable polycarbonate lens
Dimensions: 151x92x79mm

UTV303

18W, 1440LM LED 60* Flood beam
Plug and play

Designed for 40,50 and 55 series



UTV326

Power: 4x10W CREE LED
Lumens: 3200LM
Voltage: 9 - 32V
Waterproof and dustproof: IP68
EMC: ECE-R10
Durable polycarbonate lens
Over/Under voltage protection
Dimensions: 138x62x38mm



UTV335K

Low beam: 30W, 2250LM
High beam: 50W, 3750LM

UTV346K

Power: 40W
Lumens: 3200LM

30 Series Premium Only
*UTV346K can only be fitted with UTV335K
UK, IE and NZ Road legal - LHD version available upon request

UTV318

Power: 40W
Lumens: 3600LM
Voltage: 9 - 32V
EMC: ECE-R10
Durable polycarbonate lens
Waterproof and dustproof: IP68
Over/Under voltage protection
Dimensions: 138x62x38mm



UTV344

(60W) 4800LM

UTV343

(80W) 6400LM



UTV354

(60W) 4800LM

UTV345

(80W) 6400LM

Voltage: 9 - 32V
Waterproof and dustproof: IP68
EMC: CISPR 25 CLASS 4
Durable polycarbonate lens
Stainless steel hardware
Over/Under voltage protection
Dimensions: 108x114x75mm

UTV393K

Low beam: 30W 2250LM
High beam: 50W 3750LM
DRL: 6W
Voltage: 9 - 32V DC
Operation temperature: -40* to + 85* C
Colour temperature: 6000K
Waterproof and dustproof: IP68
EMC: CISPR 25 CLASS 4
Die-cast aluminium housing
Durable polycarbonate lens



*Surround not included
UK, IE and NZ Road Legal - LHD version available upon request

LIGHTBARS



UTV246

96W 8075LM 20" (508mm) Slimline
Lightbar with Vertical DRL



UTV248

60W 10" (254mm) Lightbar with Side Reflector Technology



UTV244

150W 12000LM 20" (508mm) Straight Hybrid DRL Lightbar



UTV247

150W 12000LM 20" (514mm) Lightbar with Strobe Function and White DRL



UTV249

240W 18600LM 31" (802mm) Lightbar with Strobe Function and White DRL



BEACONS UTV PRODUCTS LED LIGHTING

UTV610

Shallow amber warning beacon
Peak power: 42PCSx1W
Voltage: 10-30V DC
Flash patterns: 10 modes
IP rating: IP67
Operating temp: - 40* to + 65* C



UTV612

Domed top amber warning beacon
Peak power: 30PCSx1W
Voltage: 10-30V DC
Flash patterns: 10 modes
IP rating: IP67
Operating temp: - 40* to + 65* C



UTV613

Flexible DIN pole mounted beacon
Homologation ECE R65 and ECE R10
IP rating: IP59
Temperate range: - 30* to 50* C
Voltage: 12-24V DC



*Made specifically for Can Bus monitored machines

UTV614

Flexible DIN pole mounted
16x 3W high power LED chips
Voltage: 12 - 24V DC
Waterproof and dustproof: IP66
Homologation ECE R65 TA1, ECE R10 and SAE CLASS1
3 flash patterns



UTV620

Homologation ECE R65 TA1, ECE R10, SAE CLASS1
26 x high power LED chips
ECE R65 - 120 Flashes per Minute
Meets IP66 protection standards
-30* to + 50*C temperature range
4 hour charge time allows 10 hours operation
USB Rechargeable
On/Off for flash pattern selection



UTV260K

Lights included: 2xUTV317
Power: 80W
Lumens: 6400LM
Twin outlet Deutsch DT Connector included



STROBES

UTV PRODUCTS LED LIGHTING

UTV605

Amber focused strobe
Power: 6PCSx5W
Voltage: 10-30V DC
Flash patterns: 10 modes



UTV606 - 3 LED UTV607 - 4 LED UTV608 - 6 LED

Amber strobe
Peak power: 3W per LED
Voltage: 10-30V DC
Flash Patterns: 19 modes
1.5 metre cable



UTV616

Directional amber warning light
18W (6 pcs x 3W)
DC10-30V
300mm cable



UTV603 - 3 LED UTV604 - 4 LED

Amber strobe
IP 67
¾ LED Surface mount light head
4 cables
19 Flash patterns
3W each LED
DC 12V-24V
1.5 Metres of cable




UTV660 - 3 LED UTV661 - 4 LED

Blue strobe
IP 67
¾ LED Surface mount light head
4 cables
19 Flash patterns
3W each LED
DC 12V-24V
1.5 Metres of cable



UTV617

Directional amber warning light
36W (12 pcs x 3W)
300mm cable



UTV618

Directional blue warning light
36W (12 pcs x 3W)
300mm cable



UNIVERSAL

UTV PRODUCTS LED LIGHTING

Voltage: 9 - 32V
Waterproof and dustproof: IP68
EMC CISPR25 CLASS 4
Durable polycarbonate lens
Stainless steel hardware
Over/Under voltage protection
Dimensions UTV302: 57x58x87mm
Dimensions UTV304: 155x53x58mm



UTV302

10W, 1x10W CREE LED
800LM



UTV304

16w, 16x1W
Osram LED 1440LM



UTV251

Power: 4pcs x 6W LMP LEDs
Lumens: 1850LM
80* flood beam
IP rating: IP68 and IP69K
Lexan polycarbonate lens
Stainless steel bracket
Dimensions: 155 x 74.8
(Including bracket) x 48mm

UTV314



UTV317

40W, 3200LM



Voltage: 9 - 36V
360* swivel mounting
Built in Deutsch connector
Waterproof and dustproof: IP68
EMC CISPR25 CLASS 4
Durable polycarbonate lens
Stainless steel hardware
Over/Under voltage protection
Dimensions UTV317: 78mm square
Dimensions UTV314: 88mm square



UTV364

Low beam: 30W, 2100LM
High beam: 60W, 4800LM
DRL: 12W
Voltage: 9 - 32V DC
Waterproof and dustproof: IP68

EMC CISPR 25 CLASS 4
Die-cast aluminium housing
Durable polycarbonate
Over voltage protection

*UK, IE and NZ Road legal - LHD version available upon request





**BOX
VAN**



BEAVERTAIL



FLATBED



CAR TRANSPORTER



**HORSE
BOX**



**GENERAL
DUTY**



LIVESTOCK



**Q
RANGE**




PLANT



**FULL RANGE
AVAILABLE!**

Ifor Williams Trailers PARTS



Jockey Wheel



13 Pin Plug



Junction Box



8 Core Suzi & 13 Pin Plug



Breakaway Cable



U Bolt Suspension Clamp Plate



Rear Triangle Reflector



Rear Indicator Lens



Side Light/Brake Light Lens



Number Plate Light



Bump Stop



Mudguards

TALK TO OUR SPECIALISTS

John Pritchard



07917 083 147

[Email me](#)

Rowan Braunton



07469 556 986

[Email me](#)

Sion Morris



07384 515 568

[Email me](#)

Huw Jones



07879 555 102

[Email me](#)

PRE-ORDER
BEFORE THE END OF MARCH

Call or pop in store to
enquire about price

Xtrafilm-Pro
750mm x
1800m




XtraNet+ 3800m Edge



- CentreFlow spreading system
- ISOBUS 11783 compatible for easy plug and play
- MULTIRATE to apply multiple rates within the working width



UP TO 15% OFF



ALL WEARING PARTS

Offer valid until 30th April 2026

AIR
CONDITIONING
Regas - Service - Repair



STAY COOL THIS SUMMER



YAMAHA Accessories

HEATED GRIPS

Greatly improves the riders comfort in cold weather conditions.



Three position switch - Off, Low, High

OVERFENDERS KIT

These overfenders feature a tough, aggressive look and custom formed design that helps protect you from water, mud and other trail debris.



*For Yamaha Grizzly

SEAT COVERS

Designed to protect your seat in any condition.



HANDGUARDS

Engineered for the most active enthusiasts, these handguards boast ergonomic design to ensure a perfect fit.



Not only do they provide optimal wind protection, but their closed loop style also delivers enhanced safeguarding and durability against debris.



Tractor servicing includes:

- Oil change
- Air filter replacement
- Fuel filter replacement
- Coolant check
- Hydraulic fluid check
- Battery check
- Tire inspection
- Greasing moving parts
- Electrical systems check
- Belt and hose inspection
- Brake inspection
- Transmission and differential fluid check



STIHL

Stihl has designed and manufactured power tools since 1926

Stihl Chainsaw Including Sharpen

- Sharpen chain and dress bar
- Operation of chain brake, drive clutch and sprocket check
- Replace spark plug
- Min and max revs check, adjust if required



Stihl Blowers/Strimmer's



- Replace spark plug, clean air filter
- Min and max revs check, adjust if required
- Drive and grease head, drive check
- Recoil assembly check
- Replace strimmer cord if required (additional charge)

Stihl Hedgecutters



- Replace spark plug
- Clean air filter
- Check drive and grease gearbox
- Set carb min and max revs
- Recoil check
- Sharpen blades

X107



- Forward speed: 8.9 km/h (5.5 mph)
- Mower deck 36 rear discharge (92cm/36in)
- CE-Nominal Power 10.84kw (14.5hp)
- Deck engagement: Mechanical

X117R



- Forward speed: 8.9 km/h (5.5 mph)
- Mower deck 36 rear discharge (92cm/36in)
- CE-Nominal Power 10.84kw (14.5hp)
- Deck engagement: Mechanical
- Collection capacity: 300ltr

X167



- Forward speed: 8.9 km/h (5.5 mph)
- Mower deck 48 Edge (122cm/48in)
- CE-Nominal Power 15.00kw (20.1hp)
- Deck engagement: Electric

X127



- Forward speed: 8.9 km/h (5.5 mph)
- Cruise control
- Mower deck 42 Edge (107cm/42in)
- CE-Nominal Power 12.36 kw (16.9hp)
- Deck engagement: Mechanical
- Mulch cover, Mulching Kit

X147R



- Forward speed: 8.9 km/h (5.5 mph)
- Mower deck 36 rear discharge (92cm/36in)
- CE-Nominal Power 12.36 kw (16.9hp)
- Deck engagement: Electrical
- Mulch cover, Mulching Kit

X350R



- Forward speed: 8.5 km/h (5.3mph)
- Mower deck 42 rear discharge (107cm/42in)
- CE-Nominal Power 14.1 kw (19.2hp)
- Mulch Plug: Standard
- Seat: Deluxe (38cm/15in)

JOHN DEERE COMMERCIAL MOWERS X950R

Engine power 18.5 KW
25.2Hp Transmission
Hydraulic steering
Power steering
Forward speed 14.5 km/h
48" or 54" deck



JOHN DEERE COMMERCIAL OUT FRONT MOWERS 1550

Engine power 17.8 KW
24.3Hp Transmission
Deck sizes: 60, 62, 72 4WD
Cutting width 153-184cm
Cutting high 2.54 - 15.24cm
Mulch Kit available



PREPARE FOR

R310R Mower Conditioners

The John Deere R310R Rear Mounted Mower Conditioner stands out due to its excellent ground following and good crop preservation. It's the perfect solution for farmers seeking efficiency, quality, and reliability in their hay and forage operations.

- Rear Mounted Vertical Fold
- Working Width: 3.1 m
- Fast Knife Changing
- Impeller or Rolls



F442R Fixed Chamber Round Baler

No swath is too big for the F442R fixed chamber round baler. Its heavy duty design, coupled with legendary John Deere reliability delivers outstanding performance for highest demands.

- Bale Diameter: 1.25m to 1.35m
- 68mm or 40mm cutting length
- 2,20m Cam Track Premium Pickup
- Optional film-binding



THE SEASON

Kverneland 9472 C

The 9472 C CompactLine multirotor cost-effective rakes with a 7.2m working width and mounted on a solid and stable frame ensure a long lifetime. Kverneland 9472 C Hydro version is fitted with hydraulically operated axles on the mainframe to lift and lower the machine during transport and operation.

- Actively steered wheels and headstock geometry allow sharp 80* turns.
- The height of the carrier frame offers outstanding ground clearance on headlands.



Vicon Fanex 764

The Fanex 764, with 7.6m working width, is designed to perform perfectly in all crop conditions, with a minimum of non-productive maintenance required and with diminished transport dimensions. The tedder is fitted with a high performance driveline combination.

- Fully maintenance-free in season, except PTO
- Strong and sturdy design with closed V-shaped central unit.
- Optional headland kit for easy lifting
- Storage height is below 3.45m



New Machinery



Joskin Modulo 2
11000ME



2023 Kverneland
856 Pro



2023 M4 12TT



Kverneland 9472C



Vicon Fanex 764



2025 Kramer KT144



Oxdale TM400 Big
Base



Yamaha Wolverine
X4



Yamaha Kodiak 450



West S14T



Ifor Williams BV64

Used Machinery



John Deere 8400



John Deere 8600



Kramer KT356



Kuhn Haybob 300



Massey Ferguson
RK802TRC-PRO



Lucas.G Castor 60R



Major Equipment
900SMHD



Vicon Extra 628FT



2015 Indespension




Joskin Komfort 2
10000S



Joskin Siroko
4010/9V



John Deere Gator
XUV 865M



Mona Tractors Llangefni

Industrial Estate

Llangefni

Anglesey

LL77 7JA

01248 750075

johnjones@monatractors.co.uk



Mona Tractors Llanystumdwy

Parc Amaeth

Llanystumdwy

Criccieth

LL52 0LJ

01766 810222

huwjones@monatractors.co.uk



Mona Tractors Ruthin

Denbigh Road

Ruthin

Denbighshire

LL15 2TN

01824 708810

aledthomas@monatractors.co.uk